





# CMG-CMGX ~ 2900 rpm





Centrifugal Flanged  
EN 733

| TYPE -<br>50 Hz | P2 | Motor<br>Size                         | Q (m³/h - l/min)              |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |
|-----------------|----|---------------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
|                 |    |                                       | 0                             | 96                            | 108                           | 120                           | 132                           | 138                           | 144                           | 156                           | 168                           | 180                           | 195                           | 210                           | 225                           | 240                           | 255                           | 270                           | 300                           | 330                           | 360                           |
|                 | 0  | 1600                                  | 1800                          | 2000                          | 2200                          | 2300                          | 2400                          | 2600                          | 2800                          | 3000                          | 3250                          | 3500                          | 3750                          | 4000                          | 4250                          | 4500                          | 5000                          | 5500                          | 6000                          |                               |                               |
|                 | kW | H (m)<br><i>pump input power (kW)</i> |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |                               |
| 80-250B         | 45 | 225M                                  | 77,2<br><a href="#">14,01</a> | 80,0<br><a href="#">30,93</a> | 79,0<br><a href="#">32,60</a> | 77,5<br><a href="#">34,34</a> | 75,3<br><a href="#">36,13</a> | 74,2<br><a href="#">37,02</a> | 73,1<br><a href="#">37,86</a> | 71,0<br><a href="#">39,38</a> | 69,0<br><a href="#">40,78</a> | 67,0<br><a href="#">42,10</a> | 64,5<br><a href="#">43,60</a> | 61,8<br><a href="#">44,94</a> | 58,8<br><a href="#">46,15</a> |                               |                               |                               |                               |                               |                               |
| 80-250A         | 55 | 250M                                  | 90,0<br><a href="#">16,74</a> | 92,8<br><a href="#">36,56</a> | 91,1<br><a href="#">38,57</a> | 89,3<br><a href="#">40,54</a> | 87,4<br><a href="#">42,46</a> | 86,4<br><a href="#">43,39</a> | 85,4<br><a href="#">44,31</a> | 83,1<br><a href="#">46,12</a> | 80,7<br><a href="#">47,81</a> | 78,5<br><a href="#">49,29</a> | 75,7<br><a href="#">50,92</a> | 72,4<br><a href="#">52,59</a> | 68,8<br><a href="#">54,18</a> | 65,2<br><a href="#">55,50</a> |                               |                               |                               |                               |                               |
| 100-200B        | 45 | 225M                                  | 56,1<br><a href="#">21,75</a> |                               | 56,8<br><a href="#">28,84</a> | 56,5<br><a href="#">29,78</a> | 56,1<br><a href="#">30,74</a> | 55,9<br><a href="#">31,24</a> | 55,6<br><a href="#">31,75</a> | 55,1<br><a href="#">32,81</a> | 54,5<br><a href="#">33,89</a> | 53,9<br><a href="#">35,04</a> | 53,1<br><a href="#">36,50</a> | 52,2<br><a href="#">37,82</a> | 51,4<br><a href="#">38,89</a> | 50,4<br><a href="#">39,85</a> | 49,0<br><a href="#">40,77</a> | 47,5<br><a href="#">41,60</a> | 43,8<br><a href="#">42,92</a> | 39,7<br><a href="#">43,82</a> |                               |
| 100-200A        | 55 | 250M                                  | 61,1<br><a href="#">24,57</a> |                               | 62,2<br><a href="#">33,04</a> | 61,8<br><a href="#">34,07</a> | 61,5<br><a href="#">35,11</a> | 61,2<br><a href="#">35,64</a> | 61,0<br><a href="#">36,18</a> | 60,5<br><a href="#">37,28</a> | 59,9<br><a href="#">38,39</a> | 59,5<br><a href="#">39,49</a> | 58,9<br><a href="#">40,86</a> | 58,3<br><a href="#">42,23</a> | 57,4<br><a href="#">43,60</a> | 56,4<br><a href="#">44,97</a> | 55,2<br><a href="#">46,20</a> | 53,8<br><a href="#">47,28</a> | 50,6<br><a href="#">49,05</a> | 46,8<br><a href="#">50,53</a> | 42,5<br><a href="#">51,62</a> |
| 100-250C        | 55 | 250M                                  | 71,9                          |                               |                               | 73,2                          | 73,1                          | 73,0                          | 72,9                          | 72,6                          | 72,2                          | 71,8                          | 71,1                          | 70,3                          | 69,3                          | 67,9                          | 66,4                          | 64,7                          | 61,0                          |                               |                               |
|                 | 75 | 280S                                  | <a href="#">24,75</a>         |                               |                               | <a href="#">40,12</a>         | <a href="#">41,93</a>         | <a href="#">42,84</a>         | <a href="#">43,70</a>         | <a href="#">45,28</a>         | <a href="#">46,77</a>         | <a href="#">48,21</a>         | <a href="#">49,94</a>         | <a href="#">51,65</a>         | <a href="#">53,38</a>         | <a href="#">55,05</a>         | <a href="#">56,66</a>         | <a href="#">58,19</a>         | <a href="#">60,99</a>         |                               |                               |
| 100-250B        | 75 | 280S                                  | 83,6                          |                               |                               | 83,7                          | 83,5                          | 83,4                          | 83,2                          | 82,9                          | 82,5                          | 82,1                          | 81,4                          | 80,8                          | 80,0                          | 79,0                          | 77,9                          | 76,4                          | 72,0                          | 67,6                          |                               |
|                 |    |                                       | <a href="#">29,69</a>         |                               |                               | <a href="#">47,10</a>         | <a href="#">49,06</a>         | <a href="#">50,04</a>         | <a href="#">51,01</a>         | <a href="#">52,92</a>         | <a href="#">54,76</a>         | <a href="#">56,47</a>         | <a href="#">58,46</a>         | <a href="#">60,26</a>         | <a href="#">61,86</a>         | <a href="#">63,49</a>         | <a href="#">65,17</a>         | <a href="#">66,93</a>         | <a href="#">70,91</a>         | <a href="#">73,78</a>         |                               |
| 100-250A        | 90 | 280M                                  | 93,5<br><a href="#">32,71</a> |                               |                               | 93,9<br><a href="#">51,99</a> | 93,7<br><a href="#">54,14</a> | 93,5<br><a href="#">55,23</a> | 93,4<br><a href="#">56,31</a> | 92,9<br><a href="#">58,48</a> | 92,4<br><a href="#">60,60</a> | 91,8<br><a href="#">62,57</a> | 90,9<br><a href="#">64,88</a> | 89,9<br><a href="#">66,97</a> | 88,8<br><a href="#">68,84</a> | 87,4<br><a href="#">70,81</a> | 85,7<br><a href="#">72,81</a> | 84,0<br><a href="#">74,73</a> | 80,4<br><a href="#">78,17</a> | 75,8<br><a href="#">81,33</a> | 70,8<br><a href="#">84,50</a> |











# CM-CMG-CMGX-CA-CAX ~ EN 733







# CM-CMG-CMGX-CA-CAX ~ EN 733







No EN 733; No CAT, CAX, CATX



# CM-CMG-CMGX-CA-CAX ~ EN 733



# CM-CMG-CMGX-CA-CAX ~ EN 733



# CM-CMG-CMGX-CA-CAX ~ EN 733

